
MATERIAL SAFETY DATA SHEET

**Proflex Low Temperature Oval Hot Melt
Glue Sticks**Revision Date: 00/03/1999

1. IDENTIFICATION OF THE SUBSTANCE / PREPARATION AND THE COMPANY / UNDERTAKING**1.1. PRODUCTS IDENTIFICATION: Proflex Low Temperature Oval Hot Melt Glue Stick****1.2. USE OF SUBSTANCE:** Suitable for bonding a wide variety of materials within the craft and education market sectors**1.3. COMPANY:** AdCo (UK) Ltd
The Factory
Dippenhall
Farnham
Surrey
GU10 5DW
Telephone Number: 01252 725100
Fax Number: 01252 725900**1.4. EMERGENCY TELEPHONE:** 01252 725100**2. HAZARDS IDENTIFICATION**

This adhesive consists mainly of high polymers, waxes and resins. Provided it is handles with care and good standards of hygiene are practised, it should not propose any undue hazard.

The following health hazards have however been identified:

Inhalation:

Fumes should not be inhaled. Use in well ventilated area.

Ingestion:

Avoid ingestion. If ingestion occurs seek medical advice.

Skin Contact:

There is no hazard in the solid state. Molten adhesive must not be allowed to come into contact with the skin. The use of protective gloves is recommended.

Eye Contact:

There is no hazard in the solid state. Molten adhesive can cause serious eye damage. The use of protective goggles is recommended.

3. COMPOSITION/INFORMATION ON INGREDIENTS**Main constituents:**

Ethylene Vinyl Acetate Copolymer
Wax
Resin

MATERIAL SAFETY DATA SHEET

**Proflex Low Temperature Oval Hot Melt
Glue Sticks**Revision Date: 00/03/1999

4. FIRST-AID MEASURES

When medical assistance is sort, explain the nature of the product involved. Always ensure that these notes are available to medical personnel.

Skin contact:

Place affected area in cold water until the adhesive solidifies. Do not attempt to peel from the skin. Depending on the degree of burn either take the affected person to hospital or attempt to soften adhesive with a hand cleanser. If this does not allow the adhesive to be removed without breaking the skin, leave the adhesive on the skin and repeat every 24 hours.

Eye contact:

Cool with cold wet pad. Do not attempt to peel solidified or molten adhesive from the eye. Call ambulance and / or take affected person to the nearest hospital, with accident and emergency facilities, as soon as possible.

Ingestion:

In the unlikely event of this occurring seek medical attention.

5. FIRE-FIGHTING MEASURES

This adhesive can burn if subjected to temperatures over 220°C. No restrictions on fire fighting media. No special instructions.

6. ACCIDENTAL RELEASE MEASURES

Spillages present little hazard, other than the risk of slippage.

Pick, or brush up spillage and place in waste bin. Never use dirt-contaminated product.

7. HANDLING AND STORAGE

This adhesive should be stored in sealed containers, preferably below 35°C.

Do not allow product to become wet or damp, as moisture can cause foaming or spitting when adhesive is heated to operating temperature.

Use stock in rotation.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Follow protection advice given in section 3 above. No exposure control necessary.

MATERIAL SAFETY DATA SHEET

**Proflex Low Temperature Oval Hot Melt
Glue Sticks**Revision Date: 00/03/1999

9. PHYSICAL AND CHEMICAL PROPERTIES

Base:	EVA copolymer
Colour:	Translucent
Viscosity @ 180°C in poise:	60 poise Brookfield RVT Thermosel
Softening Point in °C	95°C (Ring and Ball)
Working Temperature in °C:	150 - 210
Open Time:	up to 60 seconds (depending on amount applied and application temperature)
Max Storage Temperature:	30°C

10. STABILITY AND REACTIVITY

This adhesive is stable and does not react with materials into which it would normally come into contact with during storage or use.

11. TOXICOLOGICAL INFORMATION

Assuming proper use no harmful effects have ensued.

12. ECOLOGICAL INFORMATION

In the solid state this adhesives poses no ecological hazard.

13. DISPOSAL CONSIDERATIONS

Use an approved trade effluent contractor.

14. TRANSPORT INFORMATION

Transport under conditions that prevent the adhesive from being exposed to temperatures over 35°C.

In case of accidental spillage follow instructions in section 6 above.

15. REGULATORY INFORMATION

Labelling not required

Order relating to flammable liquid: Not applicable.

16. OTHER INFORMATION

None.

MATERIAL SAFETY DATA SHEET

**Proflex Low Temperature Oval Hot Melt
Glue Sticks**

Revision Date: 00/03/1999

- ‘1. Technology Supplies Limited (Company registration number 2285483) Whose registered office is Phoenix House, Tern Hill, Market Drayton, Shropshire, TF9 3PX (‘Technology Supplies’) is providing this data sheet on an ‘as is’ basis and makes no representations or warranties of any kind with respect to this data sheet or its contents and disclaims all such representations and warranties. In addition, Technology Supplies makes no representations or warranties about the accuracy, completeness, or suitability for any purpose of the information published in this data sheet. The information contained within this data sheet may contain technical inaccuracies or typographic errors. All liability of Technology Supplies howsoever arising for any such inaccuracies or errors is expressly excluded to the fullest extent permitted by law.
2. Neither Technology Supplies nor any of its directors, employees or other representatives will be liable for loss or damage arising out of connection with reliance upon this data sheet. This is a comprehensive limitation of liability that applies to damages of any kind, including (without limitation) compensatory, direct, indirect or consequential damages, income or profit, loss of or damage to property and claims of third parties.
3. Notwithstanding the foregoing, none of the exclusions and limitations in clauses 1 and 2 are intended to limit any rights you may have as a consumer under local law or other statutory rights which may not be excluded in any way to exclude or limit Technology Supplies for any liability for death or personal injury resulting in our negligence.’